


**ADRIAN STEEL®**

Cargo Management Solutions for Commercial Vehicles

60-EQNX20 "WDW SCRNX KIT, 2018 CHEVY EQUINOX**PRODUCT WEIGHT****9.14 lbs****WIDTH x DEPTH x HEIGHT****N/A x N/A x N/A****CAPACITY****N/A****COLOR****BLACK****CATALOG NUMBER****60-EQNX20****PRODUCT FEATURES**

Window screens are contoured to fit the rear driver and passenger side doors, rear cargo area, and the rear hatch door of the 2018-2024 Chevy Equinox vehicle.

Non-glare black powder coat finish so that it is visible from outside the vehicle to deter theft of cargo contents and to help prevent damage to the window from shifting cargo.

PAGE 1 of 1

The information contained in this document is the sole property of ADRIAN STEEL COMPANY. ADRIAN STEEL COMPANY retains the right to modify and/or change the product of its design at any time without prior notification.



CATALOG NUMBER 60-EQNX20

PRODUCT APPLICATION

To deter theft of cargo contents and to prevent damage to the window from shifting cargo.

ACCESSORIES THAT WILL WORK WITH THIS PRODUCT

CATALOG NUMBER

DESCRIPTION

n/a

n/a


SPECIAL APPLICATION NOTES

n/a

PAGE 2 of 1

The information contained in this document is the sole property of ADRIAN STEEL COMPANY. ADRIAN STEEL COMPANY retains the right to modify and/or change the product of its design at any time without prior notification.

INSTR. : 69456 NUMBER		PG: 1	REV: B	ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
PART : 60-EQNX20 NUMBER				1	60-175	WINDOW SCRNX, RR HATCH DR, 20EQNX	1
				2	60-176	WINDOW SCRNX, STRSD, RR DR, 20EQNX	1
PART • WDW SCRNX KIT,EQUINX DESC. • 18-24				3	60-177	WINDOW SCRNX, STRSD, RR QTR, 20EQNX	1
				4	60-178	WINDOW SCRNX, CRBSD, RR DR, 20EQNX	1
				5	60-179	WINDOW SCRNX, CRBSD, RR QTR, 20EQNX	1



GET TO KNOW THE VEHICLE - AT THE BEGINNING OF ANY INSTALLATION, CHECK THE LOCATION OF THE FUEL TANK, FUEL LINES, BRAKE LINES, HIGH VOLTAGE BATTERIES AND WIRING HARNESSSES TO AVOID INJURY OR PROPERTY DAMAGE FROM TOOL CONTACT.

SEAL ALL EXTERIOR HOLES - ALL INSTALLATION HOLES SHOULD BE SEALED WITH BUTYL TAPE OR SILICON TO PREVENT WATER AND EXHAUST GASES FROM ENTERING THE VEHICLE.

CONTROL DRILL DEPTH - TO AVOID DAMAGE TO THE VEHICLE, USE A DRILL STOP OR CLEARED STEP BIT WHEN DRILLING INSTALLATION HOLES.

ALWAYS ADD PRIMER - WHEN ADDING INSTALLATION HOLES BE SURE TO USE A SELF-ETCHING PRIMER TO PREVENT CORROSION, FASTENER FAILURE AND INJURY.

MOUNTING POINTS MUST HAVE METAL-TO-METAL CONTACT - USE PROVIDED MOUNTING SPACERS TO ACCOMMODATE FOR VEHICLE FEATURES, CARPET OR SUBFLOORS.

PROVIDE CLEARANCE FOR SPACERS - IF THE INSTALLATION VEHICLE CONTAINS A CARPET OR SUBFLOOR, USE A 1-3/16" DIAMETER CARPET CUTTER (P/N: 31183-0) AT ALL MOUNTING LOCATIONS TO OPEN UP ROOM FOR SPACERS.


CHECK SPACER ORIENTATION - BE SURE THAT THE INDENT IN THE SPACER COVERS THE PLUSNUT HEAD; THIS ENSURES THE MOST METAL-TO-METAL CONTACT AND REDUCES VIBRATION.

PLUSNUT INSTALLATION - A PLUSNUT GUN IS RECOMMENDED FOR PLUSNUT INSTALLATION FOR ITS PRODUCTION SPEED. HOWEVER, A PLUSNUT SETTING TOOL CAN ALSO BE USED (P/N: 22200-0).


THRU-BOLT CLEARANCE - WHEN USING A THRU-BOLT AT ANY MOUNTING LOCATION, BE SURE THAT YOUR HOLE HAS 1/16" CLEARANCE.

FASTENERS USED


FAS0044
SCREW,THP
14-10X.5 ZP
QTY: 04



FAS0041
SCREW,THP
14-10X.75 ZP
QTY: 32



FAS0066
WASHER,LCK EXT
1/4 ZP
QTY: 36



STEP 1 - INSTALL PASSENGER SIDE REAR DOOR WINDOW SCREEN

PASSENGER SIDE WINDOW SCREEN PART#: 60-178
DRIVER SIDE WINDOW SCREEN PART#: 60-176

USE FAS0041 AND FAS0066
(08 PLACES)
PHILLIPS BIT
IMPACT DRIVER




REPEAT ON DRIVER SIDE

STEP 2 - INSTALL PASSENGER SIDE REAR QUARTER WINDOW SCREEN

PASSENGER SIDE WINDOW SCREEN PART#: 60-179
DRIVER SIDE WINDOW SCREEN PART#: 60-177

USE FAS0041 AND FAS0066
(04 PLACES)
PHILLIPS BIT
IMPACT DRIVER




REPEAT ON DRIVER SIDE

STEP 3 - INSTALL REAR HATCH WINDOW SCREEN

REAR HATCH WINDOW SCREEN PART#: 60-175

**USE FAS0044 AND FAS0066
(02 PLACES LEFT, 02 PLACES RIGHT)
PHILLIPS BIT
IMPACT DRIVER**

**USE FAS0041 AND FAS0066
(04 PLACES TOP, 04 PLACES BOTTOM)
PHILLIPS BIT
IMPACT DRIVER**



INSTALLATION IS COMPLETE