


White Noise Backup Alarm Kit - Silverado

CATALOG NUMBER

Wire Harness

69279

Backup Alarm



PRODUCT FEATURES

- This product is compatible with the Chevy Silverado.
- This kit includes a white noise backup alarm (61501) and a wire harness (64013).
- There are no OEM options required for this kit.
- There are no OEM options that are not compatible with this kit. This kit does not work with the heavy duty.
- How does this product work: The alarm will sound as the vehicle approaches different objects while in reverse.

Model Year Validated:

2024

PURCHASED
COMPONENT
KEY FEATURES

DESCRIPTION OF REQUIREMENTS
DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)
N/A
LOAD/RATING REQUIREMENT
N/A
MATERIAL REQUIREMENT
N/A
PACKAGING REQUIREMENT
N/A
OTHER REQUIREMENTS
Note: AAMP Part # BUA-97WNC



THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER
DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED		
ALL BEND ANGLES ARE 90 DEGREES		
ALL DIMENSIONS ARE IN INCHES.		
REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION		
FEATURES	HOLES/SLOTS	ANGLES
0.0 = ± .125	0.0 = ± .062	0° = ± 2°
0.00 = ± .062	0.00 = ± .031	0.0° = ± 1°
0.000 = ± .031	0.000 = ± .015	
Material Thickness: per ASTM Std. Weld Callouts per AWS		

RELEASE & REVISIONS

INITIAL ECN:	23456
CURRENT ECN:	25415
ECN DESCRIPTION:	
Revise MPN on Alarm PPDS	
REVISED BY: JLT	


PURCHASED
COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER
AAMP
REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER
BUA-97WNC
COLOR (ONLY LIST IF COLOR SPECIFIC)
COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERENCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)
NO

PRINTED DOCUMENT IS UNCONTROLLED

Sheet 1 of 1

PART / PRODUCT IDENTIFICATION

 ADRIAN STEEL®		ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221	REVISION LEVEL A
MAT'L USED:		DESIGNED BY: PEN	
DESCRIPTION: B/U ALM, WHITE NOISE TR			
WEIGHT (Lbs.): 2	SEGMENT CODE: ELE	PART NUMBER: 61501	

PURCHASED
COMPONENT
KEY FEATURES


DESCRIPTION OF REQUIREMENTS
DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)
N/A
LOAD/RATING REQUIREMENT
N/A
MATERIAL REQUIREMENT
N/A
PACKAGING REQUIREMENT
N/A
OTHER REQUIREMENTS
Plug & play harness, does not include alarm.
2020 MDY No vehicle options required





THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER
DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY







TOLERANCES & INSPECTION	RELEASE & REVISIONS
UNLESS OTHERWISE SPECIFIED	INITIAL ECN: 24579
ALL BEND ANGLES ARE 90 DEGREES	CURRENT ECN: 25280
ALL DIMENSIONS ARE IN INCHES.	ECN DESCRIPTION:
REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION	Scan supplier's print
FEATURES 0.0 = ± .125 0.00 = ± .062 0.000 = ± .031	REVISED BY: AMB
HOLES/SLOTS 0.0 = ± .062 0.00 = ± .031 0.000 = ± .015	
ANGLES 0° = ± 2° 0.0° = ± 1°	
Material Thickness: per ASTM Std. Weld Callouts per AWS	


PURCHASED COMPONENT
REFERENCED SUPPLIER AND/OR MANUFACTURER
AAMP
REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER
P-BUA-SILVERADO
COLOR (ONLY LIST IF COLOR SPECIFIC)
COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERENCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)
YES







PRINTED DOCUMENT IS UNCONTROLLED			Sheet 1 of 1
PART / PRODUCT IDENTIFICATION			
	ADRIAN STEEL®		ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221
	DESIGNED BY: A. BUSSING		REVISION LEVEL A
MAT'L USED:		DESCRIPTION: HARN, BUA SI	
WEIGHT (Lbs.): 1.0	SEGMENT CODE: ALA	PART NUMBER: 64013	



Revisions			
Rev.	Date	Author	Description
1	3/17/2020	Bennet Fisher	Initial Drawing
2	4/6/2020	Bennet Fisher	Changed connector wires to 18 Gauge
3	10/29/2020	Bennet Fisher	Updated Female connector contacts


Coverings	
Id	Assembly
[34]	
[35]	

From	To	Color	Gauge
C1.1	C2.1		18 AWG
C1.2	C2.2		18 AWG
C1.3	C2.3		18 AWG
C1.4	S1		18 AWG
C1.5	C2.5		18 AWG
C1.6	S2		18 AWG



From	To	Color	Gauge
C2.1	C1.1		18 AWG
C2.2	C1.2		18 AWG
C2.3	C1.3		18 AWG
C2.4	S1		18 AWG
C2.5	C1.5		18 AWG
C2.6	S2		18 AWG

From	To	Color	Gauge
C3.1	S1		18 AWG
C3.2	S2		18 AWG



Notes	
1	Cover wiring with cloth tape; leave 1/2" of exposed wiring behind connector
2	Lock tape split loom behind C3

Title	----	Part Number	P-BUA-SILVER
Description	2020 Chevrolet Silverado Backup Alarm Harness		

	Name	Date
Drawn By	----	----
Eng Approved	----	----
Mfg Approved	----	----
QA	----	----



This document contains confidential and proprietary information that cannot be reproduced or divulged, in whole or in part, without written authorization.

“Compare Installation Instructions that come with the Product to Installation Instructions in ASCO System for accuracy.”



P-BUA-SILVERADO

Wiring Harness for Backup Alarm 2016-2021 Chevrolet Silverado

INSTALLATION MANUAL





Thank you for purchasing the **P-BUA-SILVERADO**



Table of Contents

Page 3 - Tools Required For Installation

WHAT'S INCLUDED:

- Vehicle Specific Wire Harness (P-BUA-SILVERADO)

COMPATIBLE ACCESSORIES:

- 97dB Backup Alarm (BUA-97C)
- 97dB White Noise Backup Alarm (BUA-97WNC)



TOOLS REQUIRED:




1. 10mm Nut-setter
2. Impact Drill

STEP 1:

Locate the OEM tail lamp connector that is below the truck

- The connector is to the left of the vehicle's spare tire on the cross member



STEP 2:

Unplug the OEM connector



STEP 3:

Install the P-BUA-SILVERADO harness between the two OEM connectors



STEP 4:

Use an impact drill and 10mm nut-setter to install a compatible backup alarm on the metal surface that is below the truck's tail lamp cavity (just outside and above the driver side frame rail).

Note: (2) 10mm TEK screws are provided with the compatible backup alarm



STEP 5:

Plug the backup alarm connector into the mating connector on the P-BUA-SILVERADO harness

STEP 6:

Enter the Vehicle Settings menu through the driver's information center

- Change the remote entry exterior lighting to "off"
 - This will prevent the backup alarm from sounding when the vehicle is unlocked with the OEM keyless entry transmitter

STEP 7:

Test the backup alarm




Phone – 866-766-2267

E-Mail – support@aampglobal.com




EchoMaster is a Power Brand of AAMP Global

EchoMaster.com



OEM tail lamp connector is inside driver side frame rail above spare tire



Backup alarm is located on the street side of the driver side frame rail; below the driver side tail lamp cavity

