ITEM DESCRIPTION: WIRE TIE, NYLON 40Lb, 8.5" BLACK



MANUFACTURER: WAYTEK, INC. or equivalent

MANUFACTURERS PART NUMBER: 21093M or 21093C

SPECIFICATIONS: STANDARD CABLE TIE

BLACK, NYLON 8-1/2" LONG

TENSILE STRENGTH: 40.0 LBS

21093M = 1,000 quanity 21093C = 100 quanity

SPECIAL NOTES: PART NUMBER IS BLACK.

SUPPLIED BY: THIS ITEM IS ADRIAN AVAILABLE!

PURCHASED PRODUCT DATA SHEET (PPDS)

THIS DRAWING/INFORMATION IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER THAT IS DETRIMENTAL TO THE INTEREST OF ADRIAN STEEL. COPYRIGHTS AND OR PATENTS THAT MAY BE THE PROPERTY OF APPLICABLE OWNERS MAY PROTECT INFORMATION AND/OR DRAWINGS OF SUPPLIED PRODUCTS.



906 JAMES STREET ADRIAN, MI 49221 517-265-6194 WWW.ADRIANSTEEL.COM

△CAUTION △

WHEN INSTALLING EQUIPMENT IN OR ON VEHICLES CHECK FOR FUEL TANKS, FUEL LINES, CONTROL LINES AND ELECTRICAL WIRING BEFORE DRILLING! ALWAYS USE DRILL BITS WITH INTEGRAL STOPS WHENEVER POSSIBLE!

7	DRAWN BY	DATE DRAWN			
l	MDG	10/26/2006			
1	ECN NUMBER	ECN DATE			
l	18021	11/13/2015			
1	PART WEIGHT	REV. LEVEL			
1	0.01 LBS.	D			
1	PART NUMBER				
l	13905-0				

ITEM DESCRIPTION: SILICONE, 1oz. TUBE



SPECIFICATIONS: SU5005 RTV SILICONE

1oz. TUBE

CLEAR OR EQUIVILENT SELF PIERCING CAP

SPECIAL NOTES:

SUPPLIED BY: THIS ITEM IS ADRIAN AVAILABLE!

PURCHASED PRODUCT DATA SHEET (PPDS)

THIS DRAWING/INFORMATION IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER THAT IS DETRIMENTAL TO THE INTEREST OF ADRIAN STEEL. COPYRIGHTS AND OR PATENTS THAT MAY BE THE PROPERTY OF APPLICABLE OWNERS MAY PROTECT INFORMATION AND/OR DRAWINGS OF SUPPLIED PRODUCTS.



906 JAMES STREET ADRIAN, MI 49221 517-265-6194 WWW.ADRIANSTEEL.COM

ACAUTION A

WHEN INSTALLING EQUIPMENT IN OR ON VEHICLES CHECK FOR FUEL TANKS, FUEL LINES, CONTROL LINES AND ELECTRICAL WIRING BEFORE DRILLING! ALWAYS USE DRILL BITS WITH INTEGRAL STOPS WHENEVER POSSIBLE!

DRAWN BY JLC	DATE DRAWN 7/21/2001
ECN NUMBER 16551	ECN DATE 7/22/2014
PART WEIGHT	REV. LEVEL
0.02 LBS.	С
PART N	IUMBER

26618-0

ITEM DESCRIPTION: SILICONE, 1oz. TUBE



SPECIFICATIONS: SU5005 RTV SILICONE

1oz. TUBE

CLEAR OR EQUIVILENT SELF PIERCING CAP

SPECIAL NOTES:

SUPPLIED BY: THIS ITEM IS ADRIAN AVAILABLE!

PURCHASED PRODUCT DATA SHEET (PPDS)

THIS DRAWING/INFORMATION IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER THAT IS DETRIMENTAL TO THE INTEREST OF ADRIAN STEEL. COPYRIGHTS AND OR PATENTS THAT MAY BE THE PROPERTY OF APPLICABLE OWNERS MAY PROTECT INFORMATION AND/OR DRAWINGS OF SUPPLIED PRODUCTS.



906 JAMES STREET ADRIAN, MI 49221 517-265-6194 WWW.ADRIANSTEEL.COM


ACAUTION A

WHEN INSTALLING EQUIPMENT IN OR ON VEHICLES CHECK FOR FUEL TANKS, FUEL LINES, CONTROL LINES AND ELECTRICAL WIRING BEFORE DRILLING! ALWAYS USE DRILL BITS WITH INTEGRAL STOPS WHENEVER POSSIBLE!

DRAWN BY JLC	DATE DRAWN 7/21/2001
ECN NUMBER 16551	ECN DATE 7/22/2014
PART WEIGHT	REV. LEVEL
0.02 LBS.	С
PART N	IUMBER

26618-0

ITEM DESCRIPTION: STROBE SWITCH DECAL SET



MANUFACTURER: VANNER

MANUFACTURERS PART NUMBER: TBD

SPECIFICATIONS: (1) Circular Yellow Decal (ID=0.950", OD=1.375") with "STROBE" in black letters

(1) Rectangular Yellow Decal (H=0.500", L=0.750") with "STROBE" in black letters

SPECIAL NOTES: For round rocker switch (OD=0.780") and Ford Transit Upfitter Switches.

SUPPLIED BY: THIS ITEM IS ADRIAN AVAILABLE!

PURCHASED PRODUCT DATA SHEET (PPDS)

Page 1 of 1

THIS DRAWING/INFORMATION IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER THAT IS DETRIMENTAL TO THE INTEREST OF ADRIAN STEEL. COPYRIGHTS AND OR PATENTS THAT MAY BE THE PROPERTY OF APPLICABLE OWNERS MAY PROTECT INFORMATION AND/OR DRAWINGS OF SUPPLIED PRODUCTS.



906 JAMES STREET ADRIAN, MI 49221 517-265-6194 WWW.ADRIANSTEEL.COM

△CAUTION △

WHEN INSTALLING EQUIPMENT IN OR ON VEHICLES CHECK FOR FUEL TANKS, FUEL LINES, CONTROL LINES AND ELECTRICAL WIRING BEFORE DRILLING! ALWAYS USE DRILL BITS WITH INTEGRAL STOPS WHENEVER POSSIBLE!

DRAWN BY RJB	DATE DRAWN 11/15/2017		
ECN NUMBER	ECN DATE		
XXXX	XXXXXX		
PART WEIGHT 0.02 LBS.	REV. LEVEL A		
PART NUMBER			

55073

HILLIARD, OHIO USA SHEE 1 OF LABEL, STROBE TXT, .95ID ROUND SWITCH DATE D01XXXX DRAWING/ PART NO. \$1.375 CHKIDATE .x ± .025 .xx ± .015 .xxx ± .005 REV CABLES DRN/DATE MEO TOL. LABEL/ METAL STROBE WITHOUT THE EXPRESS WRITTEN CONSENT OF VANINER INC. IT IS PROVIDED SOLELY FOR THE CONVENIENCE OF THE USER AND SHALL BE RETURNED UPON REQUEST. THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF VANNER INC. AND MAY NOT BE COPIED, REPRODUCED OR DIVULGED TO UNAUTHORIZED PERSONS X REA/ECO NO.: 2. ARTWORK FROM D91XXXX-A PAGE 1, PMS BLACK 1. MATERIAL: .002 YELLOW POLYESTER 3. .001 OVERLAMINATE NON 4. ADHESIVE BACKED SCALE:

Page 2 of 1

THIS DRAWING/INFORMATION IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER THAT IS DETRIMENTAL TO THE INTEREST OF ADRIAN STEEL. COPYRIGHTS AND OR PATENTS THAT MAY BE THE PROPERTY OF APPLICABLE OWNERS MAY PROTECT INFORMATION AND/OR DRAWINGS OF SUPPLIED PRODUCTS.



906 JAMES STREET ADRIAN, MI 49221 517-265-6194 WWW.ADRIANSTEEL.COM

⚠CAUTION ⚠

WHEN INSTALLING EQUIPMENT IN OR ON VEHICLES CHECK FOR FUEL TANKS, FUEL LINES, CONTROL LINES AND ELECTRICAL WIRING BEFORE DRILLING! ALWAYS USE DRILL BITS WITH INTEGRAL STOPS WHENEVER POSSIBLE!

DRAWN BY	DATE DRAWN	
RJB	11/15/2017	
ECN NUMBER	ECN DATE	
XXXX	XXXXXXX	
PART WEIGHT	REV. LEVEL	
0.02 LBS. A		
PART NUMBER		

LOC | QTY | Part # | Description | Size

Material: IJ39 | Lamination: 8518

1: 6039597.Strobe Switch-1.52" x 2.07"

DISTILL DISTILL
GRAPHIC SOLUTIONS
GRAPHIC SOLUTIONS

STROBE

DISTILL SOLUTIONS



Note: Part will not be weeded, just cut.

Kit# 8001872 | Adrian Steel Part # 55073

O6/O1/2O23 • **JY** 2022 DISTYLL Graphics Solutions. All rights reserved.

ASCO REV.1 6/14/2023

DISTVII	CLIENT NAME:		Switch Decals	O-ID: O15319-1
				Rev #: XXXX
FINAL DESIGN	AL DESIGN 05/31/2023 TRN		Opt #: A	

Please check information to confirm accurate vehicle specifications.

CLEANING INSTRUCTIONS All surfaces must be considered contaminated. Clean the vehicle surface immediately before applying the film. Dust and other contaminates can collect quickly on the surface and prevent the film from adhering properly. Even a freshly painted surface can collect dust before graphics can be applied.

For the best success with the films recommended for vehicle graphics, always apply the graphics when the air and vehicle surface are both above 60°F (16°C) and below 90°F (32°C) before beginning the installation.

DESCRIPTION OF REQUIREMENTS

DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)

N/A

LOAD/RATING REQUIREMENT

N/A


MATERIAL REQUIREMENT

N/A

PACKAGING REQUIREMENT

N/A

OTHER REQUIREMENTS



THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED

ALL BEND ANGLES ARE 90 DEGREES

ALL DIMENSIONS ARE IN INCHES.

REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION

HOLES/SLOTS $0.0 = \pm .062$ $0.00 = \pm .031$

 $0^{\circ} = \pm 2^{\circ}$ $0.0^{\circ} = \pm 1^{\circ}$ $0.00 = \pm .062$ $0.000 = \pm .031$ 0.000 = + .015

Material Thickness: per ASTM Std. Weld Callouts per AWS

RELEASE & REVISIONS

INITIAL ECN: 25378

CURRENT ECN: 25378

ECN DESCRIPTION:

RELEASE FOR PRODUCTION

REVISED BY

PURCHASED COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER
AAMP GLOBAL

67092 OR PWR-HAR1

COLOR (ONLY LIST IF COLOR SPECIFIC)

COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERANCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)

PRINTED DOCUMENT IS UNCONTROLLED

Sheet 1 of 1

REVISION LEVEL



906 JAMES STREET, ADRIAN, MI 49221

MAT'L USED:

PURCHASED

DESIGNED BY: E.BURKE

PART / PRODUCT IDENTIFICATION

POWER HARNESS EXTERIOR 1

WEIGHT (Lbs.): **0.2**

SEGMENT ELE


Coverings

Id Assembly

[7]

Notes

- 1) Lock Tape Loom with Tesa 51036
- (2) Add 15A Mini Fuse
- 3) Add rubber grommet over harness loom; 150mm behind C2



UNLESS OTHERWISE SPECIFIED		Name	Date	
DIMENSIONS ARE IN MILLIMETERS [INCHES] TOLERANCES: ±5MM	Designed By	Bennet Fisher	11/5/2021	
PROPRIETARY AND CONFIDENTIAL	Engineering Approval			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF	Manufacturing Approval			
AAMP GLOBAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE	Revision Approval			Part N Descr
WRITTEN PERMISSION OF AAMP GLOBAL IS PROHIBITED.	Quality Assurance			Exterio

ADVANCING VEHICLE TECHNO	
 Part Number: PWR-HAR1	Revision:
Description:	Sheet:
Exterior Light Battery Harness	1 of 1

Revisions				
Rev.	Date	Author	Description	
Α	11/5/2021	Bennet Fisher	Initial Drawing	

DESCRIPTION OF REQUIREMENTS

DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)

N/A

LOAD/RATING REQUIREMENT

N/A


MATERIAL REQUIREMENT

N/A

PACKAGING REQUIREMENT

N/A

OTHER REQUIREMENTS



THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED

ALL BEND ANGLES ARE 90 DEGREES

ALL DIMENSIONS ARE IN INCHES.

REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION

 $0.0 = \pm .062$ $0.00 = \pm .031$ $0.000 = \pm .015$

Material Thickness: per ASTM Std. Weld Callouts per AWS

RELEASE & REVISIONS

INITIAL ECN: 25378

CURRENT ECN: 25378

ECN DESCRIPTION:

RELEASE FOR PRODUCTION

REVISED BY:

PURCHASED COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER **AAMP GLOBAL**

REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER SSW-HAR3 OR 67099

COLOR (ONLY LIST IF COLOR SPECIFIC)

COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERANCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)

PRINTED DOCUMENT IS UNCONTROLLED

Sheet 1 of 1

ADRIAN STEEL

ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221

REVISION LEVEL

MAT'L USED:

PURCHASED

DESIGNED BY: E.BURKE

SWITCH HARNESS 3 EXTERIOR LIGHTING

PART / PRODUCT IDENTIFICATION

WEIGHT (Lbs.): **0.2**

SEGMENT ELE

Coverings


Id Assembly

[12]

Notes

1) Lock Tape Loom with Tesa 51608

(2) 75mm between end of loom and Quick Connects



C4.B S1 16 AWG

UNLESS OTHERWISE SPECIFIED		Name	Date	
DIMENSIONS ARE IN MILLIMETERS [INCHES] TOLERANCES: ±5MM	Designed By	Bennet Fisher	11/5/2021	
PROPRIETARY AND CONFIDENTIAL	Engineering Approval			
DIAWING IS THE SOLETHOLEHTT OF	Manufacturing Approval			
AAMP GLOBAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF AAMP GLOBAL	Revision Approval			Part Nui Descript
IS PROHIBITED.	Quality Assurance			Strobe S

A A A A A A A A A A A A A A A A A A A	
Part Number: SSW-HAR3	Revision:
Description:	Sheet:
Strobe Switch Harness - 3 Outputs	1 of 1

Re		Re	visions
Rev.	Date	Author	Description
Α	11/5/2021	Bennet Fisher	Initial Drawing

DESCRIPTION OF REQUIREMENTS

DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)

N/A

LOAD/RATING REQUIREMENT

N/A

MATERIAL REQUIREMENT

N/A


PACKAGING REQUIREMENT

N/A

OTHER REQUIREMENTS

PLUG AND PLAY BODY HARNESS 5 FOR LADDER RACK LIGHTING

INCLUDES: **2 CAPS FOR EXTERIOR CONNECTORS 20 CABLE TIES 5 WIRE TIE WITH CHRISTMAS TREES** 7 STICKEY BACKED CABLE TIE HOLDERS



THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED **ALL BEND ANGLES ARE 90 DEGREES**

ALL DIMENSIONS ARE IN INCHES.

REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION

HOLES/SLOTS

 $0.0 = \pm .062$ $0.00 = \pm .031$ $0.00 = \pm .062$ $0.000 = \pm .031$ $0.000 = \pm .015$

Material Thickness: per ASTM Std. Weld Callouts per AWS

RELEASE & REVISIONS

INITIAL ECN: 26041

CURRENT ECN: 26041

ECN DESCRIPTION:

RELEASE TO PRODUCTION

REVISED BY: EMB

PURCHASED COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER 67610

COLOR (ONLY LIST IF COLOR SPECIFIC)

COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERANCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)

PRINTED DOCUMENT IS UNCONTROLLED

Sheet 1 of 1

REVISION LEVEL



ADRIAN STEEL

ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221

MAT'L USED: **PURCHASED** DESIGNED BY: E.BURKE

PART / PRODUCT IDENTIFICATION

BODY HARN 5 EXT P&P

WEIGHT 0.1 SEGMENT ELE

DESCRIPTION OF REQUIREMENTS

DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)

N/A

LOAD/RATING REQUIREMENT

N/A

MATERIAL REQUIREMENT

N/A


PACKAGING REQUIREMENT

N/A

OTHER REQUIREMENTS

PLUG AND PLAY HARNESS FOR LADDER RACKS 2 STROBES, 1 ON EACH END OF 58" RACK

INCLUDES: 10 CABLE TIES 1 CABLE GLAND 1 UN-CONNECTED TE282080-1 IN BAG



THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED

ALL BEND ANGLES ARE 90 DEGREES

ALL DIMENSIONS ARE IN INCHES.

REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION

 $0.00 = \pm .062$

HOLES/SLOTS $0.0 = \pm .062$ $0.00 = \pm .031$ 0.000 = + .031 $0.000 = \pm .015$

Material Thickness: per ASTM Std. Weld Callouts per AWS

RELEASE & REVISIONS

INITIAL ECN: 26041 CURRENT ECN: 26041

ECN DESCRIPTION:

RELEASE TO PRODUCTION

REVISED BY: EMB

PURCHASED COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER 67614

COLOR (ONLY LIST IF COLOR SPECIFIC)

COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERANCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)

PRINTED DOCUMENT IS UNCONTROLLED

Sheet 1 of 1



ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221

REVISION LEVEL

MAT'L USED: **PURCHASED** DESIGNED BY: E.BURKE

PART / PRODUCT IDENTIFICATION

STROBE HARN FOR 58" RACK

WEIGHT 0.1

SEGMENT ELE

DESCRIPTION OF REQUIREMENTS

DIMENSIONAL REQUIREMENTS (AS SHOWN ON DRAWING)

N/A

LOAD/RATING REQUIREMENT

N/A

MATERIAL REQUIREMENT

N/A

PACKAGING REQUIREMENT

N/A

OTHER REQUIREMENTS

ECCO STROBE LIGHT: ED3801 WITH EXTERIOR PLUG AND PLAY CONNECTOR





THIS DRAWING IS THE PROPERTY OF ADRIAN STEEL COMPANY AND IS NOT TO BE USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF ADRIAN STEEL COMPANY

TOLERANCES & INSPECTION

UNLESS OTHERWISE SPECIFIED

ALL BEND ANGLES ARE 90 DEGREES

ALL DIMENSIONS ARE IN INCHES.

REFERENCE DIMENSIONS (X.XXX) DO NOT REQUIRE INSPECTION

HOLES/SLOTS $0.0 = \pm .062$ $0.00 = \pm .031$ $0.000 = \pm .015$

Material Thickness: per ASTM Std. Weld Callouts per AWS

RELEASE & REVISIONS

INITIAL ECN: 25921

CURRENT ECN: 25921

ECN DESCRIPTION:

RELEASE TO PRODUCTION

REVISED BY: N/A

PURCHASED COMPONENT

REFERENCED SUPPLIER AND/OR MANUFACTURER **ECCO**

REFERENCED SUPPLIER AND/OR MANUFACTURER PART NUMBER

ED3801A-ADR COLOR (ONLY LIST IF COLOR SPECIFIC)

AMBER LED/CLEAR LENS COMODITY ITEM (Y/N) (YES = ALL DIMENSIONS AND NOTES ARE REFERANCE) (NOTE: DIMENSIONS AND FEATURES MAY VARY FOR A COMODITY ITEM.)

PRINTED DOCUMENT IS UNCONTROLLED

PART / PRODUCT IDENTIFICATION

ADRIAN STEEL

ADRIAN STEEL COMPANY 906 JAMES STREET, ADRIAN, MI 49221



Sheet 1 of 1

MAT'L USED: PURCHASED

DESIGNED BY: EMB

ECCO STROBE ED3801A W/CON

WEIGHT 0.5

SEGMENT EST