



**ADRIAN STEEL®**

Cargo Management Solutions for Commercial Vehicles

## ***END CAP KIT, 2T, 14D, CNTR SUP, 2***

### ***PRODUCT WEIGHT***

**9.32 LBS**

### ***WIDTH X DEPTH X HEIGHT***

**14" D X 4.57" H**

### ***CAPACITY***


**N/A**

### ***COLOR***

**ASC BLUE**

### ***CATALOG NUMBER***

**ASCSK14A2**



### **PRODUCT FEATURES**

This kit contains end caps that connect the center support to shelving. The end caps mount align with the square cut-outs on the center support vertical posts and are secured using a single set of fasteners. The end caps can be mounted to the center support at any height as long as the vehicle body allows.

SEE PAGE 2 FOR APPLICATION NOTES, ACCESSORIES AND OTHER PRODUCTS THAT WORK WITH THIS UNIT.

**END CAP KIT, 2T, 14D, CNTR SUP, 2****CATALOG NUMBER ASCSK14A2****PRODUCT APPLICATION**

This kit contains 1 sets of end caps, to work with any center support vertical posts to replace the lower support bracket . However, this kit is compatible with any height of end panel.

**ACCESSORIES THAT WILL WORK WITH THIS PRODUCT**


| <b>CATALOG NUMBER</b> | <b>DESCRIPTION (smart)</b>   |
|-----------------------|------------------------------|
| ASFK2T1424G3          | SHELF KIT, 2T, 14X24, G, 3   |
| ASFK2T1430G3          | SHELF KIT, 2T, 14X30, G, 3   |
| ASFK2T1436G3          | SHELF KIT, 2T, 14X36, G, 3   |
| ASFK2T1442G3          | SHELF KIT, 2T, 14X42, G, 3   |
| ASFK2T1448G3          | SHELF KIT, 2T, 14X48, G, 3   |
| ASFK2T1454G3          | SHELF KIT, 2T, 14X54, G, 3   |
| ASFK2T1460G3          | SHELF KIT, 2T, 14X60, G, 3   |
| ASFK2T1466G3          | SHELF KIT, 2T, 14X66, G, 3   |
| ASFK2T1472G3          | SHELF KIT, 2T, 14X72, G, 3   |
| ACSK1449A3            | CNTR SUPPRT KIT, 14X49, A, 3 |
| ACSK1463A4            | CNTR SUPPRT KIT, 14X63, A, 4 |
| ACSK1468A5            | CNTR SUPPRT KIT, 14X68, A, 5 |
|                       |                              |
|                       |                              |
|                       |                              |

The information contained in this document is the sole property of ADRIAN STEEL COMPANY. ADRIAN STEEL COMPANY retains the right to modify and/or change the product of its design at any time with prior notification.


|                                         |                     |                      |                                                   |              |                                           |      |
|-----------------------------------------|---------------------|----------------------|---------------------------------------------------|--------------|-------------------------------------------|------|
| <i>INSTR. NUMBER</i> : <b>INS-ASCSK</b> | <i>PG:</i> <b>1</b> | <i>REV:</i> <b>A</b> | ITEM NO.                                          | PART NUMBER  | DESCRIPTION                               | QTY. |
| <i>PART NUMBER</i> : <b>ASCSK#####</b>  |                     |                      | 1                                                 | AECCS2T14L-A | END CAP,2T,14D,LEFT, CNTR SUPP,ASC BLUE   | 1    |
|                                         |                     |                      | 2                                                 | AECCS2T14R-A | END CAP,2T,14D,RIGHT, CNTR SUPP, ASC BLUE | 1    |
|                                         |                     |                      | <i>PART DESC.</i> • END CAP KIT,2T,##D,CNTR SUP,# |              |                                           |      |

**NOTE: THIS INSTRUCTION IS VALID FOR THE FOLLOWING KITS:**

- ASCSK14A1
- ASCSK14A2
- ASCSK16A1
- ASCSK16A2
- ASCSK18A1
- ASCSK18A2
- ASCSKL14A1
- ASCSKR14A1
- ASCSKL16A1
- ASCSKR16A1
- ASCSKL18A1
- ASCSKR18A1



| ITEM NO. | PART NUMBER  | DESCRIPTION                               | QTY. |
|----------|--------------|-------------------------------------------|------|
| 1        | AEC2T14L-A   | END CAP,2T,14D,LEFT,A                     | 1    |
| 2        | AECCS2T14R-A | END CAP,2T,14D,RIGHT, CNTR SUPP, ASC BLUE | 1    |
| 3        | BAGASCSKA1   | BAG FOR ASCSKA1                           | 1    |



**NOTE: THIS INSTRUCTION IS TO BE USED IN CONJUNCTION WITH INS-ASHELVING.**

**TOOLS NEEDED:**

- 1/2 WRENCH
- 7/16 SOCKET

**GET TO KNOW THE VEHICLE** - AT THE BEGINNING OF ANY INSTALLATION, CHECK THE LOCATION OF THE FUEL TANK, FUEL LINES, BRAKE LINES, HIGH VOLTAGE BATTERIES AND WIRING HARNESSSES TO AVOID INJURY OR PROPERTY DAMAGE FROM TOOL CONTACT.

**SEAL ALL EXTERIOR HOLES** - ALL INSTALLATION HOLES SHOULD BE SEALED WITH BUTYL TAPE OR SILICON TO PREVENT WATER AND EXHAUST GASES FROM ENTERING THE VEHICLE.

**CONTROL DRILL DEPTH** - TO AVOID DAMAGE TO THE VEHICLE, USE A DRILL STOP OR CLEARED STEP BIT WHEN DRILLING INSTALLATION HOLES.

**ALWAYS ADD PRIMER** - WHEN ADDING INSTALLATION HOLES BE SURE TO USE A SELF-ETCHING PRIMER TO PREVENT CORROSION, FASTENER FAILURE AND INJURY.

**MOUNTING POINTS MUST HAVE METAL-TO-METAL CONTACT** - USE PROVIDED MOUNTING SPACERS TO ACCOMMODATE FOR VEHICLE FEATURES, CARPET OR SUBFLOORS.

**PROVIDE CLEARANCE FOR SPACERS** - IF THE INSTALLATION VEHICLE CONTAINS A CARPET OR SUBFLOOR, USE A 1-3/16" DIAMETER CARPET CUTTER (P/N: 31183-0) AT ALL MOUNTING LOCATIONS TO OPEN UP ROOM FOR SPACERS.


**CHECK SPACER ORIENTATION** - BE SURE THAT THE INDENT IN THE SPACER COVERS THE PLUSNUT HEAD; THIS ENSURES THE MOST METAL-TO-METAL CONTACT AND REDUCES VIBRATION.

**PLUSNUT INSTALLATION** - A PLUSNUT GUN IS RECOMMENDED FOR PLUSNUT INSTALLATION FOR ITS PRODUCTION SPEED. HOWEVER, A PLUSNUT SETTING TOOL CAN ALSO BE USED (P/N: 22200-0).


**THRU-BOLT CLEARANCE** - WHEN USING A THRU-BOLT AT ANY MOUNTING LOCATION, BE SURE THAT YOUR HOLE HAS 1/16" CLEARANCE.

***FASTENERS USED***

***BAG REFERENCE: BAGASCSKA1***



**FAS0924  
FLAT HEAD CRG BOLT  
1/4-20 X .63 LG  
QTY:12**



**FAS0055  
NUT, HEX NLK  
FLG 1/4-20 ZP  
QTY:12**

**NOTE: THIS BAG IS ONLY USED FOR THE FOLLOWING END CAP CENTER SUPPORT KITS**

- ASCSKL14A1
- ASCSKR14A1
- ASCSKL16A1
- ASCSKR16A1
- ASCSKL18A1
- ASCSKR18A1

**NOTE: EXAMPLE ON NEXT PAGE**


INTENTIONALLY LEFT BLANK

**STEP 1 - ASSEMBLE CENTER SUPPORT END CAP KIT**


(NOTE: TO BE USED WITH KITS ASCSK14A1, ASCSK14A2, ASCSK16A1, ASCSK16A2, ASCSK18A1, ASCSK18A2 ONLY.)

**Step 1.1**  
**REPLACE THE**  
**CURRENT CENTER**  
**LOWER SUPPORT**  
**BKT. WITH**  
**AECCS2T##L-A &**  
**AECCS2T##R-A**  
**USING EXISTING**  
**HARDWARE**  
**FROM CENTER**  
**SUPPORT KIT.**  
**FAS0924 AND**  
**FAS0055**  
**(14 PLACES)**  
**1/2 WRENCH**  
**7/16 SOCKET**

**Step 1.2**  
**FULLY TIGHTEN**  
**FAS0924 AND**  
**FAS0055**  
**(14 PLACES)**  
**1/2 WRENCH**  
**7/16 SOCKET**



**STEP 1.1 REPLACE CURRENT CENTER**  
**SUPPORT SHOWN FOR REFERENCE ONLY.**



**Step 1.2**



**INSTALLATION IS COMPLETE FOR KITS LISTED ABOVE**

**NOTE: THESE CENTER SUPPORT END CAP ALLOW FOR DIFFERENT HEIGHT OF SHELVES AT THE CENTER SUPPORT AS SHOWN.**

**STEP 2 - ASSEMBLE EXTRA SHELF WITH CENTER SUPPORT END CAP KIT**  
(NOTE: TO BE USED WITH KITS ASCSKL14A1, ASCSKR14A1, ASCSKL16A1, ASCSKR16A1, ASCSKL18A1, ASCSKR18A1 ONLY.)

**Step 2.1**  
**LOOSELY ASSEMBLE**  
**BOTH AEC2T###-A**  
**& AECCS2T###-A**  
**TO SHELF**  
**ASSEMBLY USING**  
**FAS0924 AND**  
**FAS0055**  
**(12 PLACES)**  
**1/2 WRENCH**  
**7/16 SOCKET**

**Step 2.2**  
**FULLY TIGHTEN**  
**FAS0924 AND**  
**FAS0055**  
**(12 PLACES)**  
**1/2 WRENCH**  
**7/16 SOCKET**



Step 2.2

**INSTALLATION IS COMPLETE FOR KITS LISTED ABOVE**

**NOTE: THESE CENTER SUPPORT END CAP KITS ALLOW AN ADDITIONAL STAND ALONE SHELF AT DIFFERENT HEIGHT AT THE CENTER SUPPORT AS SHOWN.**